

MEDICATION SAFETY

Children under the age of 5 account for nearly 45% of all exposures reported to your Michigan Poison & Drug Information Center

Over 26,000 children under 5 years of age

(National Poison Data System, 2019)

Over 15,700 children under 5 years of age exposed to medication unexpectedly

Over 21% of all cases reported to your Michigan Poison Center regarding children under the age of 5 were related to unexpected exposure to medications

(National Poison Data System, 2019)

Unexpected & unintentional exposures to substances including medication can happen anywhere, but most happen in a home.

Over 45,000 unintentional exposures to substances, including medication, were reported to your Michigan Poison Center



(National Poison Data System, 2019)

Prevent unexpected exposure to medication & other substances in your home, schools, businesses, & vehicles.

See the next page for helpful tips to keep medications & other substances out of sight & reach of children & vulnerable adults





WWW.MIPOISONHELP.ORG











MEDICATION SAFETY

PREVENTION AT HOME

- Store all medication in a locked cupboard above adult eye level
- Medication lock boxes are recommended & should also be stored in a cupboard above adult eye
- NEVER leave pill planners out where children or vulnerable adults may see
- Avoid taking your medication when children or vulnerable adults are present
- Remember to check the label:



- 1. When taking medication out of lock box or out of cupboard
- 2. While preparing medication for administration
- 3. Before taking or administering medication
- NEVER leave open medication containers unattended or out of sight
- Close all medication containers immediately after use
- Be sure "Child Resistant Caps" are completely closed before storing
- NEVER leave purses, backpacks, or tote bags that carry medication on the floor where children can access them

PREVENTION OUTSIDE OF HOME

- Do not assume others take the same precautions you take in your home
- Medication and recreational substances may be used in other homes
- Check a new environment from a child's or vulnerable adult's viewpoint:
 - Crawl on the floor to locate safety hazards
 - Open cupboards
 - Fallen/dropped pills
 - Bags or purses left on floor or within reach
 - Medication bottles or pill planners left out on counters/tables
 - Access to rooms where medication is typically stored



✓ Bathrooms



Kitchen





- Medication & recreational substances intended for adults can cause serious & life-threatening symptoms in children
- "Child Resistant Caps" on medication bottles are NOT child proof even when closed properly
- Seek medical care if anyone has become sick after taking medication
- Call your MiPDC, day or night, for unintended exposure to medications or other substances



1-800-222-1222











